

SDSM2017-2557



SDSM2017-2557

1

1	2017	12	11	08:30	16:30
2		6636			8 04

2.2					336
3.3		1			
		2			
4.1					
12.3.3.1					
		1			
		2			
		3.5			3.5%
		3.5	65		2.8%
		65			2.1%
12.6					
13.1					
14.2		1	12	14	16:00
					12000 /
		2			

		<p>1602001319200062147</p> <p>5</p> <p>7 7</p> <p>0531-82765639</p> <p>4.</p>
16.1		<p>2017 12 15 8:30-9:00</p> <p>10 5</p> <p>336</p>
19.1		<p>2017 12 15 9:00</p> <p>10 5</p> <p>336</p>
19.2		<p>/ /</p>
		<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5</p>
22.1		<p>2002 1980</p>

23.1	/	
24		
	<p>1 100%</p> <p>17</p> <p>2 100%</p> <p>3 5%</p> <p>5%</p> <p>4</p> <p>15-112201040001124 370103495570899</p> <p>336 0531-82765639</p>	

50	10	a. 8 10 b. 4 7 c. 1 3
	5	0 1 2 5
	5	1 5
20	5	a. 4 5 b. 2 3 c. 0 1
	5	a. 4 5 b. 2 3 c. 0 1
	4	0-4
	6	1 2/3 2/3 6 2 2/3 2/3 2-3 0-3

		/ ;	
		1. 1 i7 8G 64 Win7 1T 27 2. 2.0 3. 70 1 4. A4 5. UPS 1000W	
2	-FTIR	1. 1.1 DSP 1.2 7,800-350cm ⁻¹ 1.3 0.4cm ⁻¹ 1.4 DTGS 24 500KHz A/D 1.5 3.0 1.6 0.005cm ⁻¹ 1.7 ASTM 4cm ⁻¹ 0.0%T 0.1%T 1.8 1.9 1.10 Shott NG-11 NIST 1.11 0.1%T 1 50000 1 1.12 16 cm ⁻¹ 40 1.13 He-Ne 1.14 GC TGA 1.15 USB2.0 1.16 32/64 Windows7 Windows10 1.17 1.18 1.19	1

1.20 FT-IR

1.21 ATR
ATR

1.22 4
170000
11000

2.

2.1 ATR ,1
7800-350cm-1

2.2 1

4 25 mm x 4 mm 2 1 25mm x 4 mm
2 32 mm x 3 mm 2 32 mm x 3 mm
1 1/3/7mm 1 2

4oz 1oz 1 1

2.3. 1 i7 80 64 Win7
1T 27

2.4. 2.0

2.5. 70

